

Cited in *Biological Abstracts*; *Current Awareness in Biological Sciences (CABS)*; *Current Contents / Life Sciences*; *Excerpta Medica (EMBASE)*; *Index Medicus*; *Informaticus*; *Pascal M*

CONTENTS

At the Cutting Edge

Thyrotropin-releasing hormone (TRH)-related peptides

R.J. Ashworth (UK)

C1

PACAP, PACAP receptors, and intracellular signalling

S.R. Rawlings (Switzerland)

C5

Research Papers

Isolation and characterization of the *Xenopus laevis* cDNA and genomic homologs of neuropeptide Y

D. Griffin, C.D. Minth and W.L. Taylor (USA)

1

Immunochemical mapping of human lutropin: I. Delineation of a conformational antigenic determinant

P. Robert, F. Troalen, D. Bellet, G.R. Bousfield and J.-M. Bidart (France, USA)

11

Immunochemical mapping of human lutropin: II. Characterization of two monoclonal antipeptide antibodies reacting with the native β -subunit

P. Robert, J. Pantel, F. Troalen, D. Bellet and J.-M. Bidart (France)

21

The Hep G2 cell line in the study of growth hormone receptor/binding protein

T. Amit, H. Hacham, O. Daily, P. Hertz, R.J. Barkey and Z. Hochberg (Israel)

29

Transcriptional and translational regulation of LH, prolactin and their testicular receptors by hCG and bromocriptine treatments in adult and neonatal rats

P. Pakarinen, T. Niemimaa, I.T. Huhtaniemi and D.W. Warren (Finland, USA)

37

Catecholesterol modulation of steroid production by rat luteal cells: mechanism of action

F.R. Tekpetey and D.T. Armstrong (Canada)

49

Role of specific isoforms of protein kinase C in angiotensin II and lipoxygenase action in rat adrenal glomerulosa cells

R. Natarajan, L. Lanting, L. Xu and J. Nadler (USA)

59

Regulation of uterine collagenase gene expression: interactions between serotonin and progesterone

B.D. Wilcox, L. Rydelek-Fitzgerald and J.J. Jeffrey (USA)

67

The 5'-untranslated region of the IGF-I receptor gene modulates reporter gene expression by both pre- and post-transcriptional mechanisms

D.W. Cooke and S.J. Casella (USA)

77

Expression of insulin-like growth factor-I (IGF-I) receptor gene in rat brain and liver during development and in regenerating adult rat liver

A. Santos, B. Yusta, M.D. Fernández-Moreno and E. Blázquez (Spain)

85

Basic fibroblast growth factor induces luteinizing hormone receptor expression in the presence of insulin-like growth factor-I in ovarian granulosa cells

M. Kanzaki, M.-a. Hattori, R. Horiuchi and I. Kojima (Japan)

95

Characterization of estrogen receptor cDNAs from human uterus: identification of a novel *PvuII* polymorphism

Y. Wang and R.J. Miksicek (USA)

101

Recombinant murine tumor necrosis factor- α inhibits cholesterol side-chain cleavage cytochrome P450 and insulin-like growth factor-I gene expression in rat Leydig cells

T. Lin, D. Wang, M.L. Nagpal and W. Chang (USA)

111

Role of the exon 11 of the insulin receptor gene on insulin binding identified by anti-peptide antibodies

G. Sesti, A.N. Tullio, M.A. Marini, E. Manera, P. Borboni, D. Accili, R. Longhi, A. Fusco, R. Lauro and A. Montemurro (Italy, USA)

121

(continued on page 3 of cover)



MOLECULAR AND CELLULAR ENDOCRINOLOGY

Subscription Information: *Molecular and Cellular Endocrinology* (ISSN 0303-7207). For 1994 vols. 98-106 are scheduled for publication; vol. 98/1 appeared in 1993 but remains the first issue of the 1994 subscription year. Subscription prices are available upon request from the Publisher. Subscriptions are accepted on a prepaid basis only, unless different terms have been previously agreed upon. Subscription orders can be entered only by calendar year (Jan.-Dec.) and should be sent to Elsevier Science Ireland Ltd., Customer Relations Manager, Bay 15, Shannon Industrial Estate, Shannon, Co. Clare, Ireland, tel. (+353-61)471944; fax (+353-61)472144, or to your usual subscription agent. Postage and handling charges include surface delivery except to the following countries where air delivery by SAL (Surface Air Lift) mail is ensured: Australia, Canada, Japan and the USA. For all other countries airmail rates are available upon request. Claims for missing issues should be made within six months of our publication (mailing) date, otherwise they cannot be honoured free of charge.

In the USA and Canada: For further information on this and other Elsevier journals please contact: Elsevier Science Inc., Journal Information Center, 655 Avenue of the Americas, New York, NY 10010, USA, tel. (212)6333750; fax (212)6333764; telex 420-643 AEP UI.

Back volumes: Please contact the Publisher.

Information for Advertisers

Advertising orders and enquiries can be sent to the Advertising Manager, Elsevier Science B.V., Advertising Department, P.O. Box 211, 1000 AE Amsterdam, The Netherlands, Tel.: 20-515.3220; Fax: 20-683.3041, attn. Advertising Dept.

Great Britain: T.G. Scott & Son Ltd., Portland House, 21 Narborough Road, Cosby, Leicestershire LE9 5TA, Tel.: 0533-753.333; Fax: 0533-750.522, attn. Tim Blake.

U.S.A. & Canada: Weston Media Associates, Daniel Lipner, P.O. Box 1110, Greens Farms, CT 06436-1110, Tel.: 203-261.2500, Fax: 203-261.0101.

Contents (continued)

Identification of a liver-specific promoter for the ovine growth hormone receptor J.V. O'Mahoney, M.R. Brandon and T.E. Adams (Australia)	129
Human colon carcinoma cells (CaCo-2) synthesize IGF-II and express IGF-I receptors and IGF-II/M6P receptors A. Hoeflich, Y. Yang, U. Kessler, P. Heinz-Erian, H. Kolb and W. Kiess (Germany)	141
Rat gonadotropin-releasing hormone (GnRH) receptor: tissue expression and hormonal regulation of its mRNA S.S. Kakar, K. Grantham, L.C. Musgrove, D. Devor, J.C. Sellers and J.D. Neill (USA)	151
Phorbol 12-myristate 13-acetate and 1,25-dihydroxyvitamin D ₃ regulate 1,25-dihydroxyvitamin D ₃ receptors synergistically in rat osteosarcoma cells T.A. Reinhardt and R.L. Horst (USA)	159
Identification of the estrogen sensitive marker in human endometrial carcinoma RL95-2 cells Y. Liu and C.T. Teng (USA)	167
A comparative study of the role of adenylate cyclase in the release of adrenocorticotropin from the ovine and rat anterior pituitary J.-P. Liu, P.J. Robinson, J.W. Funder and D. Engler (Australia)	173
Calcitriol attenuates the basal and vasoactive intestinal peptide-stimulated cAMP production in prolactin-secreting rat pituitary (GH ₄ C ₁) cells G. Sørnes, T. Bjørø, J.P. Berg, P.A. Torjesen and E. Haug (Norway)	183
Pineal perfusion with calcium channel blockers inhibits differently daytime and nighttime melatonin production in rat Z.-Y. Zhao and Y. Touitou (France)	189
Follicle-stimulating hormone receptor mRNA in the mouse ovary during post-natal development in the normal mouse and in the adult hypogonadal (<i>hpg</i>) mouse: structure of alternate transcripts P.J. O'Shaughnessy, P. Marsh and K. Dudley (UK)	197
Interactions between transport of triiodothyronine and tryptophan in JAR cells A.M. Mitchell, S.W. Manley and R.H. Mortimer (Australia)	203
Development of a bioassay for FSH using a recombinant human FSH receptor and a cAMP responsive luciferase reporter gene C. Albanese, S. Christin-Maitre, P.M. Sluss, W.F. Crowley and J.L. Jameson (USA)	211
Progesterone initiation of the human sperm acrosome reaction: the obligatory increase in intracellular calcium is independent of the chloride requirement K.O. Turner, M.A. Garcia and S. Meizel (USA)	221
Gene transfer into <i>Xenopus</i> hepatocytes: transcriptional regulation by members of the nuclear receptor superfamily D. Marilley, A. Mahfoudi and W. Wahli (Switzerland)	227

(continued on last page of this issue)

